


GIAiDo



The instrument tests individual stones and automatically displays one of the following results:

- ♦ Pass
- ♦ Refer

The 'Refer' results could contain potential synthetic diamonds, diamond simulants or diamonds. These referrals should be tested further for full verification.

Room light calibration is needed once per day or whenever the environmental lighting conditions are changed.

Stone Testing Capabilities

Weight of stones:	0.005 ct+
Size of stones:	0.90 mm+
Colour of stones:	D-J
Shape of stones:	All
Diamond simulants:	Yes
Mounted stones:	Yes not yet ASSURE Tested

Instrument Capabilities

Automated feed:	Yes
Automated results:	No
Automated dispense:	Yes
Detect or Refer (synthetic diamonds)	Refer
Detect or Refer (diamond simulants)	Refer
Multiple stones at once:	No
Training required:	Yes

Instrument Performance

The results demonstrate the performance of the GIA iD100 tested by a novice operator:

	Core Sample	Smalls Sample
Diamond False Positive Rate Optimal rate 0%	0%	0%
Diamond Referral Rate <i>Optimal rate 0%</i>	3.3%	4.2%
Diamond Accuracy Rate <i>Optimal rate 100%</i>	96.7%	95.8%
Speed Stones tested per hour	183	183

Instrument Specifications

16.5 cm (w) x 20 cm (d) x 8 cm (h)



4,995 USD February 2019

https://www.gia.edu/id100 giastore@gia.edu +1760 603 4200

ASSURE Tested March 2019 ASSURE ID 75549