



# PROJECT ASSURE DIAMOND VERIFICATION INSTRUMENT STANDARD REPORT

Summary Report for: Taidiam Technology (Zhengzhou) Co. Ltd. / Natural Synthetic DiamondDect™5



Prepared For: Lisa Levinson

Diamond Producers Association Belgium ESV

Hoveniersstraat 22 Antwerp, 2018

Belgium

Received Date: November 5, 2018

Invid Number: 676717

Assessment Dates: January 17, 2019 through January 18, 2019

Preliminary Testing ID: 1820527S-C\* Assessment Testing ID: 1820527 Report Issue Date: March 1, 2019

\*This report supersedes test report dated February 28, 2019. The report has been amended to include the definitions for each category per the DPA's request.

Approval By:

Judith V. Haber

Global Technical Lead Chemistry

ith V Haber



Taidiam Technology (Zhengzhou) Co. Ltd. / Natural Synthetic DiamondDect™5

Date: | March 1, 2019

Testing ID:

1820527S-C

Manufacturer's Name: Taidiam Technology (Zhengzhou) Co. Ltd.

Instrument Model: DD5
Serial Number: N/A
Software Version: N/A

Lab Manager: Winson Wong

Analyst/Operator: Anthony Tedeschi, Joseph Tiburcio

#### **Overview**

The stated instrument was evaluated to Diamond Verification Instrument Standard Part 1 – Diamond Verification Instrument for Screening Diamonds from Synthetic Diamonds (30 January 2019) as referenced by the Diamond Verification Instrument Standard – General Requirements for Evaluation Diamond Verification Instruments (30 January 2019).

# **Manufacturer's Claims for Instrument Capability**

Sample Composition			
Type of Stones	Diamonds and HPHT Synthetic diamonds		
Stone Size Range	1.0 to 14.4 mm (0.005 to 10 ct.)		
Stone Color Range	Stone Color D to J		
Loose / Mounted	Loose and Mounted		
Single / Batch Stone Testing	Batch		
Automated / Manual Feed	Manual Feed		

## **Summary of Assessment**

The instrument has been verified to be able to screen loose and mounted, round, brilliant cut diamonds and synthetic diamonds in the size range of 1.0 to 3.7 mm (0.005 to 0.2 ct.) and D to J color range.



Taidiam Technology (Zhengzhou	Co. Ltd.	/ Natural St	Synthetic DiamondDect™5
	) CO. Llu.	/ Inatural S	

Date:

March 1, 2019

Testing ID:

1820527S-C

# Results of Performance Testing to the Diamond Verification Instrument Standard

#### Test Stone Sets used to Assess Performance

Loose, Polished Stone Test Sets	Diamond	Synthetic Diamond	Diamond Simulant
Primary Set (>2.00 mm, D-J colour) 748 diamonds, 150 synthetic diamonds and 148 diamond simulants	$\boxtimes$	$\boxtimes$	
Supp. Set A (>2.00 mm, D-J colour) 249 diamonds	×		
Supp. Set AB (>2.00 mm, D-J colour) 50 synthetic diamonds, 47 diamond simulants		$\boxtimes$	

# Results of instrument stone assessment testing of Primary and A&AB Combined

Toot Proporty	Results for Loose, Polished Stone Test Sets			
Test Property	Primary and A&AB Combined			
Diamond accuracy (%)	91.6			
Synthetic diamond accuracy (%)	na <sup>[1]</sup>			
Diamond referral rate (%)	8.4			
Synthetic diamond referral rate (%)	77.4 <sup>[2]</sup>			
Diamond false positive rate (%)	22.6			
Synthetic diamond false positive rate (%)	0.0			
Diamond false negative rate (%)	0.0			
Synthetic diamond false negative rate (%)	22.6			

#### Notes:

- na Not applicable per instrument manufacturer
- [1] Does not apply because this instrument does not classify stones as 'Synthetic diamond'
- [2] This instrument is designed to classify synthetic diamonds as 'Refer'

#### Results of instrument testing speed assessment

Rate of Testing Speed Test Method		Average Test Result
	Test Method A: Fixed number of stones	
$\boxtimes$	Test Method B: Fixed time frame	557 stones per hour
	Test Method C: Reduced number of stones	



		/ <b>_</b> .				
Taidiam	Technology	//hanazhou	ᄓᄾᄾᅥᅡᅥ	/ Natural	Synthatic	DiamondDect™5
ı ı alulallı		' LEHEHUZHUU	II GO. LIU	. / Inatural	SVIIIIIEII	, Dialillollubect 3

Date:

March 1, 2019

Testing ID:

1820527S-C

### Results of instrument stone assessment testing of individual stone sets

Toot Proporty	Results for Loose, Polished Stone Test Sets					
Test Property	Primary	A & AB	B & AB	С	D & DE	E & DE
Diamond accuracy (%)	94.1	83.9	na	TBD	TBD	na
Synthetic diamond accuracy (%)	na <sup>[1]</sup>	na <sup>[1]</sup>	na	TBD	TBD	na
Diamond referral rate (%)	5.9	16.1	na	TBD	TBD	na
Synthetic diamond referral rate (%)	76.7 <sup>[2]</sup>	79.6 <sup>[2]</sup>	na	TBD	TBD	na
Diamond false positive rate (%)	23.3	20.4	na	TBD	TBD	na
Synthetic diamond false positive rate (%)	0.0	0.0	na	TBD	TBD	na
Diamond false negative rate (%)	0.0	0.0	na	TBD	TBD	na
Synthetic diamond false negative rate (%)	23.3	20.4	na	TBD	TBD	na

Notes:

na Not applicable per instrument manufacturer

TBD To Be Determined

- 1] Does not apply because this instrument does not classify stones as 'Synthetic diamond'
- [2] This instrument is designed to classify synthetic diamonds as 'Refer'

#### **Additional Notes from Assessment Findings**

Below is a summary of an additional findings from assessment:

No additional comments

#### **Definitions**

Diamond Accuracy	Defined as the fraction of test stones correctly classified by the specific diamond verification instrument as diamond.
Synthetic Diamond Accuracy	Defined as the fraction of test stones correctly classified by the specific diamond verification instrument as synthetic diamond.
Diamond Referral Rate	Defined as the fraction of diamonds that could not be classified by the specific diamond verification instrument and requires further.
Synthetic Diamond Referral Rate	Defined as the fraction of synthetic diamonds that could not be classified by the specific diamond verification instrument and requires further testing.
Diamond False Positive Rate	Defined as the fraction of synthetic diamonds incorrectly classified as diamond by the specific diamond verification instrument.
Synthetic Diamond False Positive Rate	Defined as the fraction of diamonds incorrectly classified as synthetic diamonds by the specific diamond verification instrument.



# Taidiam Technology (Zhengzhou) Co. Ltd. / Natural Synthetic DiamondDect™5

Date:

March 1, 2019

Testing ID:

1820527S-C

Diamond False Negative Rate	Defined as the fraction of diamonds incorrectly classified as synthetic diamond by the specific diamond verification instrument.
Synthetic Diamond False Negative Rate	Defined as the fraction of synthetic diamonds incorrectly classified as diamond by the specific diamond verification instrument.
Rate of Testing Speed	Defined as the average speed at which the diamond verification instrument evaluates unknown stones.